

# Display energy certificate (DEC)



HM Government

Cinderford Town Council  
Rheola House Belle Vue Centre  
4 Belle Vue Road  
CINDERFORD  
GL14 2AB

Operational rating

# B

Certificate number: 6490-3514-4942-0107-9806

Valid until: 3 March 2034

Total useful floor area: 508.19 square metres

## Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO<sub>2</sub>) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	<b>A</b>		
26-50	<b>B</b>	<b>45 B</b>	
51-75	<b>C</b>		
76-100	<b>D</b>		
			100
101-125	<b>E</b>		
126-150	<b>F</b>		
150+	<b>G</b>		

## Previous operational ratings

Date	Operational rating
March 2024	<b>45 B</b>

## Total carbon dioxide (CO<sub>2</sub>) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO<sub>2</sub>.

Date	Electricity	Heating	Renewables
March 2024	2	15	5

## Assessment details

Assessor's name	Timothy Davis
Employer/Trading name	Cotswold Energy Consultants Ltd
Employer/Trading address	Russell Lodge Mosley Green Parkend Lydney GL15 4HS
Assessor's declaration	Not related to the occupier.
Accreditation scheme	Elmhurst Energy Systems Ltd
Issue date	4 March 2024
Nominated date	4 March 2024

## This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m <sup>2</sup> /year)	6.56	153.70
Typical energy use (kWh/m <sup>2</sup> /year)	95	113.30
Energy from renewables	74.8%	0%